

A·L·30

ARCHITECTURAL LIGHTING

YEARS

INSIDE: LIGHTSCAPES AT
THE VENICE BIENNALE
• BLUE LIGHT HAZARD •
DEVELOPMENTS IN SPORTS
AND ARENA LIGHTING •
ONE-ON-ONE: LIGHTING
DESIGNER ROGER NARBONI



THIRTEENTH ANNUAL
LIGHT & ARCHITECTURE
DESIGN AWARDS

**One system.
Countless possibilities.**





The EF System

Recessed Modular Linear Lighting

The EF System enables designers and specifiers to drastically clean up the ceiling plane by incorporating multiple types of architectural LED lighting into one recessed system. The system can be used for linear slots, cove lighting, accent lighting, perimeter lighting and more.



Extruded Aluminum Channel

The EF System Channel can accommodate both linear LED strips as well as our high-performance adjustable LED Light Units



Fully Adjustable LED Light Units

Our LED Light Units boast 4 points of articulation with locking joints. Anything from hidden accent lighting to exposed down-lighting is possible.



Cove and Perimeter Lighting

The EF Channel can be utilized to build out a cove or follow the perimeter of a room. Both linear indirect and direct LED lighting may be used together.



Accent Slots with Uplighting

Channel may be mounted in opposing positions to form linear ceiling slots. Linear LED may be used to illuminate a rounded slot interior while LED Light Units handle downlighting and accents.

LF ILLUMINATION™

lfillumination.com

©2016 LF ILLUMINATION LLC

Build your team at the AIA Career Center.

Put us to work for you. Post your firm's open positions with confidence and connect with 30,000+ highly qualified architecture and design professionals.

Visit the AIA Career Center today. careercenter.aia.org/employers



whitegoods



Edgeless Cove



V Cove



Mini Z Cove



2.4\"/>



2.4\"/>

Whitegoods sets the standard for minimal lighting through reduction of detail. Our modular system allows unrivalled flexibility and seamless architectural integration. Coordinated family of products which can be tailored specifically to your needs.

inter•lux
tools for lighting

inter-lux.com/whitegoods
answers@inter-lux.com

DIALux evo



Design lighting for entire buildings? Now you can.

With DIALux evo you can design lighting intuitively for complex spaces.

Learn more about its smart features and unique business model: DIALux is free for commercial and private use.



dialux.com

JULY/AUGUST 2016
VOL. 30, NO. 4

A·L

ARCHITECTURAL LIGHTING

EDITOR-IN-CHIEF
Elizabeth Donoff
edonoff@hanleywood.com
202.729.3647

MANAGING EDITOR
Greg O'Brien
gobrien@hanleywood.com

EDITORIAL
**SENIOR EDITOR,
BUSINESS, PRODUCTS, AND TECHNOLOGY**
Wanda Lau

**ASSOCIATE EDITOR,
BUSINESS, PRODUCTS, AND TECHNOLOGY**
Helle Busta

ASSOCIATE EDITOR, DESIGN
Deane Madsen

**ASSISTANT EDITOR,
BUSINESS, PRODUCTS, AND TECHNOLOGY**
Selin Ashaboglu

ASSISTANT EDITOR, DESIGN
Sara Johnson

CONTENT PRODUCER
Chelsea Blahut

EDITORIAL INTERNS
Morgan Day
August King

ART DIRECTOR
Robb Ogle
rogle@hanleywood.com

ART
SENIOR GRAPHIC DESIGNER
Megan Multsteff

PHOTO EDITOR
Alexander Cortez

MULTIMEDIA
VIDEO PRODUCTION MANAGER
Lauren Honesty

VIDEOGRAPHER/VIDEO EDITOR
Jim Van Meer

CONTRIBUTING EDITORS
Elizabeth Evitts Dickinson,
Bill Millard, Aaron Seward,
Mimi Zeiger

EDITORIAL ADVISORY BOARD

Gregg Ander, FAIA, IESNA • Francesca Bettridge, IALD, IESNA •
Barbara Cianci Horton, IALD • Kevin Housek, IESNA, EDUCATOR IALD •
Mark Loeffler, IALD, IESNA • Paul Zaferiou, IALD

**SUBSCRIPTION INQUIRIES, CHANGE
OF ADDRESS, CUSTOMER SERVICE,
AND BACK-ISSUE ORDERS**

ARCHITECTURAL LIGHTING
P.O. Box 3494
Northbrook, IL 60065
alt@amea.com
Local: 847.291.5221
Toll-Free: 888.269.8410

PRODUCTION

PRODUCTION MANAGER
Marri Coccaro
mcoccaro@hanleywood.com

AD TRAFFIC MANAGER
Pamela Fischer
pfischer@hanleywood.com

**INSIDE SALES
AD TRAFFIC MANAGER**
Annie Clark
aclark@hanleywood.com

REPRINTS

Wright's Media
hanleywood@wrights
media.com
877.652.5295

LIST RENTALS

The Information Refinery
Brian Clotworthy
brian@info refinery.com
800.529.9020

archlighting.com

One Thomas Circle, NW, Suite 600, Washington, DC 20005

A·L ARCHITECTURAL LIGHTING (ISSN 1548-0646) is published six times per year (Jan/Feb, March/Apr, May/June, July/August, Sept/Oct, Nov/Dec) by Hanley Wood, One Thomas Circle, NW, Suite 600, Washington, DC 20005. Periodicals postage paid at Washington, DC, and additional mailing offices. Printed in the USA. Postmaster: Send changes of address to ARCHITECTURAL LIGHTING, P.O. Box 3494, Northbrook, IL 60065. Canada Post Registration #40622888/1517 Number 6-12903178. Canadian return address: MEX, P.O. Box 25542, London, ON N6C 6B2.

Distributed free of charge to individuals or firms engaged in the specification of lighting products in the U.S. Publisher reserves the right to determine recipient qualification. For year, all other U.S. subscriptions \$48; Canada, \$50; Foreign, \$55. Payment in U.S. dollars. For subscription inquiries, address changes, and single copy sales (\$10 in the U.S., \$15 in Canada, \$20 for other countries, payable in advance in U.S. dollars) write to ARCHITECTURAL LIGHTING, P.O. Box 3494, Northbrook, IL 60065 or call 847.291.5221 or toll-free 888.269.8410. For ad rates, call or email Wright's Media 877.652.5295 or hanleywood@wrightsmedia.com.

A·L ARCHITECTURAL LIGHTING is a trademark owned exclusively by Hanley Wood. Copyright 2016 Hanley Wood. Reproduction in whole or in part prohibited without written authorization.

Insider knowledge that thinks outside the box.



The Lighting reSOURCE is the leading online destination for lighting industry information, education and inspiration. From LED toolkits and photo galleries to original content, the Lighting reSOURCE gives you 24/7 access to the information you need to energize your career. In-depth articles cover a range of emerging design trends and industry news, including a breakdown of the most recent changes to the International Energy Conservation Code (IECC) requirements to help ensure your projects are code compliant. To view this feature and similar articles, visit TheLightingResource.Eaton.com.

EAT•N

Powering Business Worldwide

Follow us on social media to get the latest product and support information.



Warm Is The New Cool



Gravity Dynamic Warm Dimming luminaires provide beautiful illumination as they dim from a bright white light to a warm glow - gradually and smoothly transitioning the light emitted from 3000K at full intensity to 1600K at 0.5% following the black body curve.

Transform any restaurant or hospitality environment with 4" Gravity Dynamic Warm Dimming luminaires.

intense | a **LEVITON**
LIGHTING company

Visit us at www.intenselight.com

A.L

ARCHITECTURAL LIGHTING

DESIGN GROUP

GROUP PRESIDENT
Ron Spink
rspink@hanleywood.com
202.736.3431

GROUP EDITORIAL DIRECTOR,
DESIGN AND COMMERCIAL CONSTRUCTION
Ned Cramer

ADVERTISING SALES

SENIOR DIRECTOR,
INTERNATIONAL ACCOUNTS
Dan Colunio
dcolunio@hanleywood.com
202.736.3310

VICE PRESIDENT,
GENERAL MANAGER OF DIGITAL
Christie Bardo
cbardo@hanleywood.com
202.736.3363

NATIONAL ACCOUNT MANAGER,
LIGHTING
Cliff Smith
csmith@hanleywood.com
864.642.9598

SENIOR ACCOUNT DIRECTOR,
MD ATLANTIC, SOUTHEAST
Susan Shepherd
sshepherd@hanleywood.com
404.386.1709

STRATEGIC ACCOUNT MANAGER,
MIDWEST
Michael Gilbert
mgilbert@hanleywood.com
773.824.2435

STRATEGIC ACCOUNT MANAGER,
WEST
Suren Sagadevan
ssagadevan@hanleywood.com
310.863.1153

SENIOR ACCOUNT MANAGER,
CANADA
D. John Wagner
jwagner@yorkmedia.net
416.598.0101, ext. 220

NEW ACCOUNT SETUP
Jaeda Mohr
jmohr@hanleywood.com
202.736.3453

VICE PRESIDENT, MARKETING
Matthew Carollo

STRATEGIC ACCOUNT MANAGER,
CHINA, HONG KONG, TAIWAN
Judy Wang
judywang2000@vip.126.com
86.13810325171

NEW ACCOUNT SETUP
Erika Taylor
etaylor@hanleywood.com
202.380.3942

AUDIENCE MARKETING DIRECTOR
Mary Leiphart

DIGITAL PRODUCT DIRECTOR
Nickie Denick

HANLEY WOOD MEDIA

PRESIDENT, MEDIA
Dave Colford

VICE PRESIDENT,
PRODUCT DEVELOPMENT
Rizwan Ali

SENIOR VICE PRESIDENT,
AUDIENCE OPERATIONS
Sarah Welcome

EXECUTIVE VICE PRESIDENT,
STRATEGIC MARKETING SERVICES
Tom Rousseau

SENIOR DIRECTOR,
PRINT PRODUCTION
Cathy Underwood

VICE PRESIDENT,
CLIENT OPERATIONS
Mari Skelnik

SENIOR VICE PRESIDENT,
STRATEGIC MARKETING SERVICES
AND CONSUMER MEDIA
Jennifer Pearce

CHIEF DESIGN DIRECTOR
Aubrey Altmann

DIRECTOR OF ANALYTICS
Jennifer Malkasian

HANLEY WOOD

CHIEF EXECUTIVE OFFICER
Peter Goldstone

VICE CHAIRMAN
Frank Anton

CHIEF FINANCIAL OFFICER
Matthew Flynn

PRESIDENT, MEDIA
Dave Colford

PRESIDENT, DIGITAL
Andrew Reid

PRESIDENT, METROSTUDY
Christopher Veator

PRESIDENT, MARKETING
Jeanne Mibrath

SENIOR VICE PRESIDENT,
MARKETING
Sheila Harris

SENIOR VICE PRESIDENT,
CORPORATE ACCOUNTS
Ryan Flom

VICE PRESIDENT,
FINANCIAL PLANNING AND ANALYSIS
Ron Kraft

SENIOR VICE PRESIDENT,
CORPORATE DEVELOPMENT AND
GENERAL COUNSEL
Michael Bender


DIRECTOR OF SALES,
EMERGING ACCOUNTS GROUP
Philip Hernandez

VICE PRESIDENT,
CORPORATE CONTROLLER
Keith Rosenbloom

From Hanley Wood, publisher of ARCHITECTURAL LIGHTING, INTERIORS, DESIGN, CONSTRUCTION & DESIGN CONSTRUCTION, CONSTRUCTION CONSTRUCTION, THE CONCRETE SOURCE, CONCRETE, THE SOURCE OF LIGHT CONSTRUCTION, DESIGN CONSTRUCTION, ARCHITECTURAL SOURCE, THE SOURCE OF LIGHT, DESIGN SOURCE, DESIGN SOURCE, ARCHITECTURAL, ARCHITECTURAL CONSTRUCTION, and SOURCE OF THE SOURCE.

Disclaimer: ARCHITECTURAL LIGHTING occasionally writes about companies in which its parent organization, Hanley Wood, has an investment interest. When it does, the magazine will fully disclose that relationship.

Privacy of mailing list: Sometimes we share our subscriber mailing list with reputable companies we think you'll find interesting. If you do not wish to be included, please call us at 888.285.8422.



Shown: 4" Series, 6" Series



Shown: Low Voltage Distribution System

TILT™

THIN LIGHT TECHNOLOGY
by Lauren Illumination




Shown: 4" to 12" Square Downlights



Shown: 4" to 24" Round Downlights



Shown: 1'x1' to 2'x4' Panels



Shown: Surface Mount with Hanging Kit



Shown: WLV-D Wireless Driver



Shown: Wireless Ceiling Occupancy Sensor
Wireless Wall Occupancy Sensor

System Solutions that Work.

Architectural Excellence Brought to Life with Beautiful, Natural Light.

TILT's low voltage Class 2 System is available in standard and custom sizes in panels, round and square downlights, and linear products. Remote drivers and a complete line of accessories and controls give you everything you need for a new way of light.

THIRTEENTH ANNUAL LIGHT & ARCHITECTURE DESIGN AWARDS



The Edward M. Kennedy Institute
for the U.S. Senate in Boston

39 INTRODUCTION

OUTSTANDING ACHIEVEMENT

40 **Edward M. Kennedy Institute for the U.S. Senate**

42 **Sayn Iron Works Foundry**

COMMENDABLE ACHIEVEMENT

44 **"Manus x Machina: Fashion in an Age of Technology"**

46 **85 Broad Street**

48 **Kirikale Merkez Nur Mosque**

50 **The Broad**

52 **Daryl Roth Theatre**

53 **Korean War Veterans Memorial Bridge**

BEST USE OF COLOR

54 **MGM Resorts International: The Park—Shade Structures**

55 POSTSCRIPT

56 **JURY**

DEPARTMENTS

10 COMMENT

Can lighting's past be saved?

12 BRIEFS

"Lightscapes" at the Venice Biennale; Landmark discussions commence for Boston's Citgo sign; and *Lighting Pro Lexicon*

19 TECHNOLOGY

Blue-light hazard and LEDs: Fact or Fiction?

26 REPORT

Solid-state lighting is making inroads in professional stadiums, redefining the fan and player experiences

34 PRODUCTS

Sports and arena lighting

64 ONE-ON-ONE

Interview with lighting designer Roger Narboni, principal of Concepto, in Bagneaux, France

ARCHLIGHTING.COM

As always, check out our website for expanded article coverage, videos, and news. Also, subscribe to our email newsletter, AL Notes, and find a link to ARCHITECTURAL LIGHTING's digital edition.

On the Cover: The entry gallery for "Manus x Machina: Fashion in an Age of Technology" at the Metropolitan Museum of Art, New York; Photo: Brett Bayer

Light is OSRAM

OSRAM

Excellence has its reward

Connected Lighting Module (CLM)
Awarded LIGHTFAIR 2016 Best in Category



The award-winning OSRAM Connected Lighting Module (CLM) converts standard lighting fixtures into smart, wireless luminaires. Individually addressable, the CLM enables each luminaire to be independently controlled and configured. Certified to ZigBee® Home Automation standards, the CLM also allows fixtures to connect to multiple wireless systems and building control systems.

Learn more about achieving excellence with the OSRAM CLM
at www.osram-americas.com/controls.



CAN LIGHTING'S PAST BE SAVED?



As we go to press, the Four Seasons Restaurant in the Seagram Building in New York City has recently served its last dinner and its furnishings are currently being auctioned off. The iconic restaurant, which opened in 1959, is set to move to a new location, a few blocks away on East 52nd Street at Park Avenue, according to the restaurant owners Julian Niccolini and Alex von Bidder. But the Four Seasons as so many knew it, the preferred power lunch location of New York's rich and famous, will be a thing of the past. (A new restaurant is proposed for the space but its design and how it will incorporate the landmarked elements of the interior has not been released.)

It's a true shame, for the restaurant's interior was not only a stellar example of modern design, it was also one of the last existing examples of lighting designer Richard Kelly's work. Kelly's three main principles of lighting—focal glow, ambient luminescence, and play of brilliants—were on display inside the Four Seasons in a tour de force, with the gridded ceiling of downlights, the four upright trees that anchored the pool in the center of the space, and the shimmering aluminum-beaded curtains at the windows.

Watching the saga play out over the past several years in the New York press has been frustrating, and one wonders why Aby J. Rosen, the Seagram Building owner, could not realize the value of keeping a signature interior in place alongside other iconic artworks such as the Picasso tapestry *Le Tricorne*, which hung in the lobby and was selected specifically for the building's interiors and installed in 1959. (The tapestry was acquired by the New York Historical Society and moved out of the Seagram in 2014.)

And while the architecture community was vocal throughout this debate, the lighting community appeared silent. I wonder, if the lighting community had joined the conversation, could they have helped further the case that the restaurant was of design significance beyond its architectural merits? This is not the first time I've addressed the issue of preserving

lighting's past. In our Nov/Dec 2014 issue, I wrote about this topic and was disappointed not to have received any feedback from the lighting community on this issue.

So how can we go about preserving lighting's past? Can we, or is it too difficult a task, knowing that the lighting life cycle of a project operates according to a different timeline than a building and must more regularly adapt to new code requirements and lighting technology evolutions?

Regardless of the answer to that question, never has there been a more critical time to take this issue seriously. The current young generation of lighting designers has no reference point when it comes to historical precedents or what it was like to practice lighting design in a non-LED world.

I would like to see the IALD and IES come together on this. It's not an issue of professional affiliation but of preserving the legacy of the professions' practitioners. Further, there should be a greater emphasis on offering courses at both the degree level and continuing education level on lighting design history. Both practitioners and industry members have to be reminded that the history of lighting design is equally as important as the history of light sources and technology. Lighting's design legacy needs to be reinforced along with its technical achievements.

Richard Kelly had the great respect of his architectural colleagues of the day, such as Ludwig Mies van der Rohe, Philip Johnson, and Eero Saarinen. If today's lighting community wants to cultivate respect on the same scale and be seen on equal footing with design colleagues—as we continuously speak of doing—then the lighting community needs to step forward and map out a plan here. Without respect for one's own past, how can others be expected to show concern?

Elizabeth Donoff
Editor-in-Chief
edonoff@hanleywood.com

LIGHT DEFINES THE EXPERIENCE

Canadian Museum for Human Rights, Winnipeg, MB, Canada
Lighting Design: Mulvey+Banani International Inc.

At the Canadian Museum for Human Rights in Winnipeg, Manitoba, designers Mulvey & Banani Lighting used Lumenfacade luminaires to illuminate ramps and walkways, creating a series of unique, reflectful communal spaces.

Find out more at Lumenpulse.com

lumenpulse™



(UN)NATURAL WONDERS

“Lightscares,” a collaboration between Stuttgart-based Transsolar KlimaEngineering and architect Anja Thierfelder, explores the natural phenomenon known as crepuscular rays, or sunbeams, which occur when direct sunlight is blocked by clouds and the rays are scattered by atmospheric microparticles such as dust or haze. Making their idea a reality required knowing how to modulate the space’s thermodynamic conditions, and to do so the team developed a high-pressure nozzle system to control humidity, temperature, and air movement. The shafts of light in the photo above appear to be coming through skylights even though there aren’t any in the space. In reality, those rays are the work of 20 spotlights casting their beams diagonally across the dark interior to create a dialogue of light and shadow with the existing architecture. “Lightscares” is on view through Nov. 27, at the Arsenal complex, as part of the 15th International Architecture Exhibition—La Biennale di Venezia. •

Anja Thierfelder


Instant Ambience. Pure Magnetism.

Introducing the 6 watt LED Cynch, the attractive, versatile new light that transforms the ambience of any venue with one pull on its magnetic connection.


Cynch easily switches from accent to pendant, and back again. The elegantly compact light is offered in multiple styles: as a stand alone, in a group, or integrated into our linear fixtures.

For more information, visit amerlux.com/cynch.

Follow us on Twitter [@AmerluxLighting](https://twitter.com/AmerluxLighting).



Cynch Mounting Options



ELECTRIC ICON

The illuminated Citgo sign in Kenmore Square is one of the Boston skyline's defining features. Since its installation in 1965, its red triangle, blue letters, and white background have served as a reference point for residents and visitors alike, but it has never been granted landmark status. That might be about to change. The 60-foot-square sign, which originally used neon and was retrofitted with LEDs in 2010, is being advanced for landmark review. The City Council voted in favor of initiating the process. And none too soon. The fate of the sign has been in question the past several months. The building it stands on, 660 Beacon, is owned by Boston University, which has plans to sell it. But before that can happen, the Boston Landmarks Commission will study the sign's historic and architectural significance, which should be easy to determine since, as *The Boston Globe's* architecture critic Robert Campbell once noted, the sign is "the crown jewel of the Boston skyline." •



System solutions by PAL's Microlinea Series 5 LED:
www.pal-lighting.com/systemsolutionsA



+1.713.946.4343
www.pal-lighting.com

REALIZE YOUR VISION:
INSIDE AND OUT





Where technology and creativity come together

Whether you're looking for a source of inspiration or a reliable partner, Philips Lighting has the cost-effective, creative solutions you need to bring your lighting demands to life. Get the quality Philips portfolio of brands you've always trusted, with an approach that's unique and inspired by you.


innovation  you

PHOTO credit: Dariusz Kuzmickas

See more ways that we take light beyond illumination at philips.com/BeInspired

PHILIPS



PARLEZ-VOUS ÉCLAIRAGE?

Ever wonder how English lighting vocabulary translates into French? Look no further than Sophie Caclin's *Lexique Pro Éclairage/Lighting Pro Lexicon* (Éditions Light Zoom Lumière, 2016), which has 1,400 lighting-related words and terms presented in a handy, pocket-sized, bilingual glossary geared toward design professionals. All of the entries are organized alphabetically in French and English (just flip the book over for the language you need) and a thematic index at the front, provides a reference to terms based on lighting applications. Available for purchase at editions.lightzoomlumiere.fr.

Philippe Gallezot

A vertical advertisement for Philips lighting brands. The background is a night view of the Eiffel Tower's lattice structure, illuminated with blue and purple lights. A white vertical banner on the right side lists the following brands: PHILIPS COLOR KINETICS, PHILIPS LEDALITE, PHILIPS LIGHTOLIER, PHILIPS Day-Brite®, PHILIPS LUMEC, PHILIPS GARDCO, PHILIPS HADCO, PHILIPS CHLORIDE®, and PHILIPS Stonco®. At the bottom, the text reads 'Learn more about our brands' and 'philips.com/BeInspired'. A small note at the very bottom says '*Available in US only'.

Learn more
about our
brands


philips.com/BeInspired

*Available in US only

PHILIPS

PROFESSIONAL

THAILIGHT OUTDOOR LIGHTING FIXTURES



FREE CREDIT HIGHLY

COST-EFFECTIVE

PAYMENT TERM (UNDER CONDITION)

OEM TOOLING (UNDER CONDITION)


- 15~300 Watt
- 120~277 / 347~480 V
- >120 Lm/W
- TYPE II / TYPE III / TYPE IV



THAILIGHT SEMICONDUCTOR LIGHTING CO., LTD
DongGuan | China T: +86 769 87061601 F: +86 769 83713167

W: www.thailight-led.com E: info@thailight-led.com

BLUE-LIGHT HAZARD AND LEDs: FACT OR FICTION?



The advent of solid-state lighting in everyday applications has renewed research interest in whether its spectral profile can lead to increased health risks.

text by Alice Liao

Little is certain about the health implications of long-term exposure to LED lighting, but the proliferation of phosphor-coated white LEDs in everyday applications has sparked a renewed interest in research. Recent investigations have centered on the spike in the short-wavelength blue region of LEDs' spectral power distributions (SPDs). Studies in disciplines outside of lighting have linked exposure to everything from circadian disruption to blue-light hazard, the latter of which this article will focus on. But should the general population be alarmed? Not really, say the lighting experts.

THE HAZARDS OF BLUE LIGHT

Blue-light hazard was discovered in the field of occupational health and safety in the 1970s, predating the invention of white LEDs. The term describes the acute photochemical damage to the retina caused by "staring at an intense light source," such as a welding arc or the sun, says David Sliney, chairman of the IES Photobiology Committee. The radiation absorbed by the retina unleashes a series of chemical reactions that can lead to retinal inflammation, cell death, and white lesions within a day or two of exposure.

Research conducted over the last 40 years in medical academia has connected these phototoxic responses to short-wavelength radiation in the range of 400 to 500 nanometers—with a peak around 440 nanometers—prompting speculation

about the safety of blue-rich light sources used in general illumination. Fluorescent sources also faced scrutiny for the blue peak in their SPDs, but as John Bullough, director of the Transportation and Safety Lighting Programs at the Lighting Research Center (LRC) in Troy, N.Y., explained in the *Journal of the Illuminating Engineering Society* in 2000, their low luminance makes any potential for risk of blue-light hazard "negligible."

Photochemical damage from blue light exposure has also been implicated in age-related macular degeneration (AMD), a leading cause of vision loss in people over 65. Biomedical researchers suspect that long-term exposure to short-wavelength blue light can create oxidative stress on retinal cell structures, resulting in the accumulation of lipofuscin, a lipid-containing waste product that has been attributed to AMD.

WHY SO BLUE?

Typical white LEDs consist of gallium nitride (GaN) and blue dye and a phosphor coating that converts a portion of the blue light into white.

These phosphor-coated white LEDs can be fabricated with customized spectral profiles, but the process necessitates a spike in blue radiant energy. The phosphors produce a second, broader, and, in some cases, higher peak between 550 and 650 nanometers.

LEDs with correlated color temperatures (CCTs) topping 3000K are often singled out for their high blue content. In June, for example, the American Medical Association released a report cautioning against the use of high-CCT LEDs in outdoor applications, citing health concerns such as melatonin suppression and circadian disruption—which are technically distinct from blue-light hazard. Although CCT does correlate with a source’s blue-light content, the U.S. Department of Energy (DOE) states in its 2013 “Optical Safety of LEDs” fact sheet that the proportion of blue emissions in the spectrum “is not significantly higher for LEDs than it is for any other light source at the same CCT.”

The brightness of LEDs has also raised concerns. As a point source, the diodes emit a concentrated directional light that can be unpleasant to view directly. Still, their output is less than what the DOE cites as a risk for blue-light hazard: a luminance exceeding 4 gigacandela per square meter, and an illuminance exceeding 400,000 lux. Moreover, in interior lighting applications, the sources are often diffused, mitigating any discomfort.

STUDIES IN BLUE

The 1976 *Nature* article “Retinal Sensitivity to Damage from Short Wavelength Light,” by William Ham Jr., Harold Mueller, and David Sliney continues to be the go-to reference in contemporary research on blue-light hazard and AMD. Undertaken to differentiate between thermal and photochemical injuries caused by short-wavelength light, the study established minimum thresholds for damage by irradiating the retinas of anesthetized monkeys with lasers at wavelengths between 442 nanometers and 1,064 nanometers. Exposure periods ranged from 1 second to 1,000 seconds.

In his literature review, Bullough notes that the researchers determined “light at 442 nanometers was 100 to 1,000 times more damaging than energy at 1,064 nanometers” and that the lesions produced by the former seemed chemically induced while those inflicted by the latter were burns. This and a subsequent study by Ham formed the basis for the safety guidelines by the International Commission on Non-Ionizing Radiation Protection on protection against laser radiation, as well as for *ANSI Z136.1-2007*:

American National Standard for Safe Use of Lasers.

Similar laboratory experiments also observed photochemical retinal damage associated with intense short-wavelength radiation. In a 2011 literature review in *Photochemistry and Photobiology*, Dutch researchers Dirk van Norren and Theo G.M.F. Gorgels examined 56 such papers, the most recent of which were published in 2009 and 2010, involving the directing of light from multiple sources into the retinas of live monkeys, rats, rabbits, or squirrels for a period of time, ranging from one second to five hours.

Extrapolating lighting recommendations from research can be tricky. In the 2014 post “Blue Light Hazard ... or Not?” on the blog *All Things Lighting*, Ian Ashdown, chief scientist for Lighting Analysts and president of Vancouver-based ByHeart Consultants, notes that the light intensities used in much of the research

“The exposure time necessary to do damage was equivalent to staring at the tropical noonday sun for 15 minutes without blinking.”

—Ian Ashdown, chief scientist, Lighting Analysts, and president, ByHeart Consultants

to date were often too high to be instructive in determining health risks from long-term exposure. While the studies demonstrate that “both ultraviolet and blue light can permanently damage the retina if focused onto a small spot,” he says in an email to ARCHITECTURAL LIGHTING, “the exposure time necessary to do damage was equivalent to staring at the tropical noonday sun for 15 minutes without blinking.”

THE PROBLEM OF PINPOINTING LEDS

Excessive light levels have plagued similar studies on LEDs. In “Photoprotective Effects of Blue Light Absorbing Filter Against LED Light Exposure on Human Retinal Pigment Epithelial Cells In Vitro,” published in 2013 in the *Journal of Carcinogenesis & Mutagenesis*, the researchers subjected cultured, human retinal cells to intensities of 5mW per square centimeter of white, blue, green, and red LED light in three 12-hour on-off cycles, with and without a blue-light-absorbing filter. Although the filter

One Company
Distinct Brands
Limitless Possibilities



Traverse
Building exterior wallpack



Viper
Parking lot luminaire



Megalum Cylinder
Interior auditorium

LiteFrame LED
Exterior soffit

EV Series
Life safety

Marion Performing Arts Center

ELEVATE

YOUR EXPERIENCE

Enhancing the quality of light through
performance and control.



SCAN FOR VIDEO

HUBBELL
Lighting

www.hubbellighting.com



did prevent phototoxicity from LED lighting, Ashdown says that the light exposure used on the cells was “hundreds of times more light than the human retina would be exposed to from LED light sources.” Moreover, because the experiment was done with cultured cells, it did not factor in the ability of a human’s “biological system” to repair cellular damage.

Even when researchers have attempted to approximate real-world applications of LEDs, a lack of lighting expertise has led to uncontrolled experimental conditions. In a 2014 paper in *Environmental Health Perspectives*, researchers exposed albino rats in cages to light from a blue LED, 6500K white LED, a 3000K yellow compact fluorescent lamp (CFL), and 6500K white CFL in 12-hour on-off cycles for up to 28 days. Although the light sources had verified SPDs and intensities, they were set 20 centimeters away from the rats and measured for 750 lux, exposing the rats to “completely different levels of blue light,” Ashdown says. Furthermore, the light levels far exceeded what the rodents, which have light-sensitive retinas, encounter in reality. While blue-light-induced retinal damage was found, he notes, this study was flawed.

In fact, Ashdown, who has studied solid-state lighting and its impact on human vision since 1999, says that not one academic paper associating blue light with retinal injury “presents credible evidence that light levels encountered in everyday life will cause retinal lesions.”

The real issue, says Robert Clear, a retired staff scientist with Lawrence Berkeley National Laboratory and a sitting member of the IES Roadway Lighting Committee, is that this topic requires “an intersection of two sets of expertise. The people who are knowledgeable in biology are generally not familiar enough with lighting to be able to evaluate it.”


In epidemiology, the findings are even slimmer. Few studies have demonstrated the health effects of long-term exposure to blue light or yielded evidence of a connection to increased risk for AMD. “Maybe one out of 20 will show there’s a possible linkage,” Sliney says. An often-cited example is Hugh Taylor’s study of 838 Chesapeake Bay fishermen chronically exposed to sunlight, published in *Transactions of the American Ophthalmological Society* in 1990, which found only a marginal association.

GOING BEYOND BLUE-LIGHT HAZARD

Considerable research has focused on the impact of short-wavelength light on the eye’s functions unrelated to vision, such as melatonin and circadian regulation. Although light exposure in general can inhibit the release of melatonin, the hormone that signals to the body the onset of darkness or night, studies have shown that blue light seems to exert a more powerful effect. For example, boosting light levels and color temperature for 30 to 45 minutes has helped astronauts feel more awake, says Stan Walerczyk, principal of San Francisco-based Lighting Wizards, an energy-efficiency consultancy.

Other evidence suggests that nocturnal use of LED-lit mobile devices and computer displays, which emit a bluish cast, can delay sleep. Walerczyk recommends avoiding “blue light one to two hours before you go to bed.” For those who can’t stay away from their screens, free apps such as Flux will increase and decrease the blue component in an electronic display according to the time of day, he says. Apple also offers a “night shift” option in its mobile devices that casts a hue atop screens during evening hours.

In outdoor applications, such as street lighting, LEDs with higher amounts of blue light could potentially suppress melatonin production,



ETL DLC lighting facts
5 YEAR WARRANTY

Lotus Pro - 150 lm/W DLC Premium listed

We Know Your Highbay Repair Cost is High

LED BAY LIGHT

- **LOTUS MINI** 40W-80W Power
- **LOTUS CLASSIC** 100W-230W Power
- **LOTUS OPTIC LENS** 100W-200W Power
- **LOTUS HIGH VOLTAGE** Upto 480VAC 100W-230W Power
- **LOTUS PLUS** High-power 260W
- **LOTUS PRO** Upto 150lm/W 100W/ 160W/ 200W Power
- **LOTUS ECO** Demand of good quality but low price market 100W-230W Power



SHEENLY[®]

www.sheenly.com sales@sheenly.com

DISTRIBUTORS IN THE U.S. WITH STOCKS

PATHWAY'S high lumen product family

Covers ALL the Bases!

Pathway Lighting's high lumen product family covers all the bases with the most complete line of high lumen products in the industry.

- Up to 7,674 delivered lumens.
- Round apertures available in 4, 6 and 8 inch.
- Square apertures in 4 and 6 inch.
- Remodel style downlights for existing ceilings.
- Adjustable versions for sloped ceilings and accent lighting.
- Flangeless trim styles.
- Lensed solutions for health-care and shower applications.



- Decorative pendant and cylinder products.
- Dimmable to 0% or 1%.
- Available with our PathWave wireless and DMX control options.



For more information on Pathway Lighting's complete product line, contact your sales representative.

COMMERCIAL • INSTITUTIONAL • OFFICE • RETAIL • HOSPITALITY

PATHWAY
the Lighting Source

Pathway Lighting Products, Inc.

Tel: 800.342.0592 • www.pathwaylighting.com

as the June AMA report alleges. However, the DOE and the LRC, in their responses to the AMA report, note that any conclusions to be drawn need to factor in the amount and duration of light exposure.

AVOIDANCE STRATEGIES

Despite the vast amount of research conducted on blue-light hazard and other blue-light-related health issues, much remains unknown about the health implications of the chronic exposure to LED light at levels encountered in daily life. However, based on a host of current international standards, such as *CIE S 009-2002: Photobiological Safety of Lamps and Lamp Systems*, the DOE has found no risk of blue-light hazard in LEDs or any other source used in general lighting applications.

All of this is not to say that the brightness of LED lighting and its blue content pose no harm to certain segments of the population, such as infants who might not avert their eyes frequently enough from light sources, and people with AMD and other eye disorders.

For the general population, Walerczyk says, "it is important to have sufficient 460 to 490 nanometers—which some people just call 480 nanometers—of light most of the day." The best way to check an LED light source's blue emission, SPD, and light output, he says, is to invest in a spectrometer and "skip CCT and CRI." •

SELECT RESOURCES

"The Blue-Light Hazard: A Review," by John Bullough, *Journal of the Illuminating Engineering Society*, 2000. Available at bit.ly/29WUxt4.

"Optical Safety of LEDs" fact sheet, U.S. Department of Energy, 2013. Available at bit.ly/2aex1YB.

"Retinal Sensitivity to Damage from Short Wavelength Light," by William T. Ham Jr., Harold A. Mueller, and David Sliney, *Nature*, 1976. Available at go.nature.com/2a3CoHF.

"White Light-Emitting Diodes (LEDs) at Domestic Lighting Levels and Retinal Injury in a Rat Model," by David Sliney, *Environmental Health Perspectives*, 2014. Available at bit.ly/2ayoRG3.

"SSL Postings: LED Street Lighting," by the U.S. Department of Energy, June 21, 2016. Available at bit.ly/29Zzfpl.

Feeling inspired?

Introducing the next big thing in lighting! B-K Lighting gives you complete control to match your environment at your fingertips. The INSPIRATION Control System™ iOS® App enables control of B-K Lighting's Bluetooth® Wireless Technology featuring BKSSL® Power of 'e' with Adjust-e-Lume® Nite Star™ and Power of C™ with Color Tuning Technology Denali Series™ floodlights.



Inspiration in the palm of your hand!



B-K LIGHTING.com



FOREST LIGHTING

Sustainable illumination



Conductors Favorite Troffer.

Easy to install. Dimmable. 2x2 and 2x4. 7 year warranty.

Forest Lighting LED Lighting products are UL Listed, DLC Qualified, and cost a fraction of what our competitors cost. Our LED lamps offer 3000K to 6000K, 80+ CRI, 100 LPW, and 50,000 hours of life. Call us before your next retrofit or new project, and we'll perform for you because our affordable LED products are in stock now. *Affordable Performance.*



A19 Lamps



BR Floodlights



Downlights



T8 LED Lamps

Forest Lighting, 2252 Northwest Pkwy SE, Suite D, Marietta, GA 30067 800-994-2143 www.forestlighting.com



Luminaire manufacturer Eaton's Ephesus Lighting business retrofitted the Bridgestone Arena, in Nashville, Tenn., with LED fixtures in 2015.

LEDS SHED NEW LIGHT ON SPORTS

Solid-state lighting is making inroads in professional stadiums, redefining the fan and player experiences.

text by Hallie Busta

When the Mercedes-Benz Superdome, in New Orleans, went partially dark with 13 minutes and 22 seconds to go in the third quarter of the 2013 Super Bowl, fixing the defective relay in the metal halide high intensity discharge (HID) system used in the stadium's main overhead lighting accounted for only a portion of the half-hour delay. Power was restored after a few minutes, but the fixtures took much longer to reach full brightness—and only then could play resume.

The U.S. Energy Information Administration reports that metal halide HID luminaires can take up to 20 minutes to reach 90 percent brightness, compared to LEDs' near-instant on/off functionality. Although HID fixtures are the



Chosen for AL Magazines' 2016 Annual Product Issue, the **GUELL** Series proves that you don't have to be big and bulky to exceed performance expectations. Built with Power and Precision; featuring a definitive assortment of optics, delivered lumen levels from 4,400 to 34,000 all encompassed in a sleek, sophisticated body.



The **GUELL** Series rises above the typical flood

The most comprehensive range of outdoor lighting, constructed for a lifetime of service and priced for today's demanding budgets is waiting for you at www.pil-usa.com

For more information on the **GUELL** series please visit www.pil-usa.com/news

most common overhead luminaires used in open stadium and indoor arena lighting applications today, their prevalence is being challenged by the rise of solid-state technology as professional, university, and even community stadiums and arenas increasingly play host to more than just sporting events, expanding their repertoire to include concerts, conferences, and even retail and dining. The result is changing the very nature of live sports for stadium owners, the fans, and, of course, the players.

How might the situation in New Orleans have played out with today's LEDs? "Would it have still happened? Probably," says Jay Wratten, a senior associate for lighting design at WSP | Parsons Brinckerhoff in Boulder, Colo. "But it would have been a commercial break, not a 30-minute delay."

IMPACT: THE OWNERS

Professional arenas began making the switch to LED long before stadiums because they are illuminated year-round for games and events to expedite the investment's payback period; a large, open stadium with metal halide, on the other hand, may only use light for a few hundred hours each year because the system is so costly to run. As LED costs trend ever lower and their performance improves, facility managers are looking to the technology for features like color tunability and fixture control that offer customization, allowing the space to be used for more and different events.

When Eaton's Ephesus Lighting business, in Syracuse, N.Y., retrofitted the Bridgestone Arena, in Nashville, Tenn., in 2015, the luminaire manufacturer replaced the existing HID system with LEDs, allowing facility managers to create unique lighting scenes for the NHL and NCAA

"We're starting to think about the field of play not as a horizontal surface but as a volume of space."

—Jay Wratten, senior associate, WSP | Parsons Brinckerhoff

basketball games that it hosts. "They can hit a button and go into hockey mode and have a cool temperature light, and [then] they can hit a button and go into basketball mode and have a warm temperature light and maintain the same level

of intensity that they need for illuminance and for uniformity," says Eaton's Ephesus Lighting business president Mike Lorenz.

Additionally, owners can adjust the fixtures' CRI to enhance team colors on the field, ice, or court, for example, or create a theatrical lighting experience that makes the event memorable for fans; in the locker room, bright light can be used to help players prepare for a game while warm light can be used post-game to help them decompress. "It's all customizable based on what event you are holding and what you want the end user to ultimately experience," says Dan Webb, the lead electrical engineer for Henderson Engineers' work on the forthcoming Los Angeles NFL Entertainment District Stadium.

Broadcast quality is another consideration for professional and some collegiate stadiums. Using LED sources reduces flicker for high-definition broadcasts, increasing the frames per second allowed without making flicker perceivable to the human eye, Webb says. And "if we can get the quality of the lighting to look more like [what] the camera wants to see, then [the broadcast networks] have to make fewer adjustments and that improves the quality of the video," Wratten says. LED systems' adjustability affords another advantage—adjusting light levels when meeting broadcast requirements is not necessary.

Another benefit is that instead of reacting to a failed fixture, LED lighting systems like the one Eaton's Ephesus Lighting business makes offer diagnostics to monitor the health of the system—such as humidity, temperature, energy consumption, and hours of operation, to indicate when it may need to be replaced.

IMPACT: THE FANS

With stadium owners seeking to get maximum value for their investment in LED lighting, fans can expect an immersive experience. "The well-lit stadium is a stage," says Wratten, whose firm is working with HOK on the lighting design for the Mercedes-Benz Stadium in Atlanta. "We can essentially spotlight the center of the 50-yard line with four, eight, 12 fixtures, and leave the rest of the stadium dark or make it a color."

That technology is also being used to create dynamic, theatrical experiences previously impossible with metal halide, and as a result often relegated to video screens. These include effects like strobing, chasing, and pulsing to highlight good plays and scores; announcing the starting lineups; integrating music or video; and syncing up with sensors for occupancy or temperature. "You've now taken a system that was historically one-dimensional and turned it

ADVANCED
HIGH CEILING




METEOR



2-in-1 Up and Downlight

9300-25000lm | 0-10V | DALI



www.meteor-lighting.com



Tmast Flood Light

Model: **GY496TG**
 Power: **200/400/600/800W**
 Luminous Efficiency: **120lm/W**
 Beam Angle: **13°/30°/60°/90°/120°**
 Power supply: **Meanwell, Inventronics**
 Recommended Mounting Height: **10-50m**



SHANXI GUANGYU LED LIGHTING CO.,LTD.
 Sales Center (Beijing)
 Tel: **86 10 62113630**
 Fax: **86 10 62153948**
 Cellular: **86 18610264858**
 Email: **sales@gyledlight.com**
 Skype ID: **rayking188**
 www.gyledlighting.com



GYLED provides OEM services with the support of its professional R&D and technical departments.



A rendering of the forthcoming Los Angeles NFL Entertainment District Stadium featuring an expansive ETFE roof and ample daylighting on the field of play and in the bowl.

into a multidimensional tool that can be used to enhance the fan experience, which is important to sports venues that are trying to attract people,” Lorenz says.

That experience will soon extend beyond the field. Swapping diffuse metal halide luminaires for point-source LED fixtures has required lighting designers to think more about how the seating area, or “bowl,” is illuminated. “We used to not light the bowls directly,” Wratten says, citing light spill from the field. “But because LED fixtures are so much more focused, we’re actually adding a totally secondary system of bowl lights,

and we can control those systems independently.” That could mean turning down those lights during game play, for example, enough to draw attention to the field while still allowing fans to capture the experience on social media. “How do you design the lighting so that the selfies—the ‘Check out the view from my seat’ videos—look good?” Wratten says. “For a stadium that has a solid façade, we may increase the light level in the bowl so that your selfie shot actually looks a bit better than it could if we just had the field glowing brightly behind you.”

IMPACT: THE PLAYERS

LED lighting deserves particular consideration for the way it stands to impact the players, such as adding the ability to adjust the CRI to meet the specific needs of the sport being played, especially in venues that host a variety of events. For sports that feature fast ball movement, such



EFFICACY
130lm/w



Steel plate + PC cover



LED TROFFER

2X2(24W/30W/36W)
2X4(36W/40W/45W)
AC100-277V, 0-10V Dimming

- 5 years Warranty
- Flicker Free
- 120° wide beam angle
- Uniform light no glare
- Matte White Finish
- Lay-in & Suspended Mounting
- Working environment: -20°C(-4°F) to 40°C(104°F)

EFFICACY
120lm/w



ALUMINUM+PMMA



LED Flat Panel Light

2X2(25W/30W/36W)
2X4(40W/45W/54W)
AC100-277V, 0-10V Dimming

- 5 years Warranty
- Flicker Free
- 120° wide beam angle
- Uniform light no glare
- Matte White Finish
- Lay-in & Suspended Mounting
- Working environment: -20°C(-4°F) to 40°C(104°F)



Guangzhou LEDIA Lighting Technology Co., Ltd

Factory Add: 1 Xianke 1st Road, Huadong Town, Huadu Dist., Guangzhou, China

E-mail: steven.deng@ledialighting.com

Tel: 0086-20-37706057

US Add: 8 Bond St Ste 301 Great Neck, NY11021

US SALES OFFICE: QUICK RESPONSE & INSTANT SERVICE

E-mail: sales@ledialighting.com

US Tel: +1-516-504-8000

www.ledialighting.com

Share Professional Lighting



LED RECESSED COMMERCIAL DOWNLIGHT

6 INCH power: 18W/23W/27W
8 INCH power: 18W/23W/27W/33W/40W/54W
With CREE LED chipset to ensure high efficiency
Good anti-glare control
0-10V dimmable optional
3 years or 5 years warranty
UL Listed



- Professional OEM & ODM manufacturer
- High Efficiency for customization solution.

LED PARKING LIGHT

Power: 24W/48W/80W/100W/150W/200W/300W
High lumen efficiency up to 100LM/W
With SAMSUNG LED chipset
With built-in MEANWELL driver
Five kinds of adaptor optional
ETL Listed



Type A Adaptor



Type B Adaptor



Type C Adaptor



Type D Adaptor



Type E Adaptor

Huizhou CDN Industrial Development Co., Ltd.

ADD: No. A17, Xianghe West Road, Dongjiang Industrial District, Shuikou Town, Huizhou City, Guangdong Province, PRC, 516005

Sales Director: Mr. Lami Xu

Mob: +86-135 0017 4656

Email: lamiXu2016@gmail.com

Skype: dicav-lami

<http://www.cdnlighting.cc>

The potential of LEDs for sports lighting is becoming clearer.

as tennis or baseball, a higher CRI provides sharper light and reduces shadowing.

Ethylene tetrafluoroethylene (ETFE) roofs, such as those topping the U.S. Bank Stadium in Minnesota and the forthcoming Los Angeles NFL Entertainment District Stadium, also help

by bringing daylight onto the field year-round. “Fabric roofs allow the light to come in but you don’t see the ... sunlight that you do with an ETFE roof,” says John Hutchings, principal at HKS, in Dallas, which designed both stadiums. “It’s a different kind of feel.”

However, more daylight may not reduce demand for electric lighting. “If you look at an open-air stadium that’s got a 2 p.m. game, the lights are on, [the broadcast networks] are going to want those lights on so their cameras are ready if the sun goes behind a cloud or there’s any change,” Wratten says.

And even in the same sport, different teams have different preferences. “When you look at a market like Los Angeles, where two NBA teams play in the same venue (the Staples Center), you’ll notice that the Lakers prefer their lighting to be more theatrical and brighter, focused on the court, while the Clippers like a broader wash of light that includes the first few rows of fans,” Webb says. “Some of that color temperature and lighting adjustment is just a personal preference, while some of it is critical to enhance the sport that is being played.”

One challenge for LED-lit stadiums is glare. The optical control afforded by LEDs results in visual hot spots—if a player isn’t standing in the direct line of a fixture’s aiming, it may appear off, making the fixtures that do shine right at them brighter by comparison. Another consideration is rendering the ball, a need that differs by sport. In baseball, for example, a pop-fly after dark can go above the light level and become difficult to see. “[We’re] starting to think about the field of play not as a horizontal surface but as a volume of space where the ball needs to travel through and be rendered all the way,” Wratten says.

An all-inclusive LED approach is only beginning to take hold in stadiums, and only the most high-profile are likely to see overhauls for the time being, with smaller university, college, and community facilities’ lighting choices still being driven primarily by cost. Still, the potential of LEDs for sports lighting is becoming clearer.

What can LEDs provide stadiums in the future? A platform for integrating a variety of systems, from location positioning technology that would allow a fan to have a drink delivered to their seat, to occupancy sensors that would notify facility management when a bathroom may have been trafficked enough to require cleaning, to security and emergency response systems. “To get that level of integration,” Wratten says, “you’re going to need a stadium that’s been designed post Internet of Things, where, holistically, those [systems] tie together.” •

NO. 8 LIGHTING INTRODUCING THE 400-SERIES



From **No. 8 Lighting** comes the new, powerful **400-Series**: Compact in design (5-1/2" overall height), offering easy installation, and easy tool-free hot aim & adjust—for accent, wall wash, and general lighting applications.

- Patent Pending IC, airtight, and adjustable—for existing or new construction
- Installs from below finished ceilings of virtually any thickness
- 90+ CRI 3000K/800-900 lumens delivered at 15watts with multiple dimming options. CA Title 24 Compliant
- 0-35° vertical/360° horizontal adjustment
- 15°, 25° & 40° beam spread options, and 2700K, 2400K and 3500K color options
- Flangeless and Flanged, Square and Round, White and Oil-Rubbed Bronze trim options available



8lighting.com



NEW CIRCUIT DESIGN -----LED BR30 650LM



- 1) Which can be compatible with Bluetooth & Triac dimmer
- 2) Original circuit design with patent ;
- 3) Bluetooth & Triac dimmer can be widely used in LED light source & LED Luminaire.



Tel:86-755-21389841 Email: daisy.liu@scjz-led.com
www.jiuzhou-intl.com www.scjz-led.com



96 aimable,
adjustable (15° to 50° beam)
internal case spotlights

3 fiber optic projectors
(in the attic)

No heat • No IR • No UV
No flicker • No color shift
No fading • No damage
Stone-cold • 3200°K • 100 CRI
10-year full-replacement
warranty (includes fiber)
25 years of beautiful and
successful installations

www.nouvir.com

NoUVIR® LIGHTING
302-628-9933

Above the Bar!

No one does what NoUVIR does. No one!

ILLUMINATING THE FIELD

Lighting an entire sports arena is no easy feat, but with the aid of these six luminaires, advanced LED technology usurps metal halide fixtures in uniformly lighting large areas for high-definition broadcasting.



text by Selin Ashaboglu

1 ArenaVision LED, Philips • This floodlight, created with super-slow-motion HDTV broadcasting in mind, features an S3 optic and provides flicker-free illumination for indoor and outdoor venues. The IP66-rated fixture head uses a bracket mounting and can be aimed in 5-degree intervals via a locking mechanism on the side of the housing. It is capable of meeting various sports federations' approved lighting requirements as well as offering options for entertainment applications through the luminaire's control system. The BVP420 model (shown) is available in 5700K with a CRI of 85-plus and outputs 66 lumens per watt.

• usa.lighting.philips.com



2 Spec Pro SportsLighter Series, Spec Grade LED • This LED luminaire family is geared toward replacing high wattage—2,000W to 5,000W—metal halide (MH) fixtures while maintaining beam uniformity. The 800W and 1,000W models (shown), replace 2,000W and 2,500W MH luminaires, respectively. All of the SportsLighter series use Lumileds' Luxeon T LEDs and a double-folded-fin aluminum heat sink. Available in 4000K and 5000K with a CRI of 74, the fixture housing is composed of die-cast aluminum and is IP65-rated; the light engine is IP66-rated. Zero-to-10V dimmable with glare shield options, and available in powdercoat white, black, and gray finishes. • specgradeled.com



3 Arena LED Series, Hubbell Lighting • Designed specifically for indoor sports facilities, this LED luminaire is intended to replace 1,000W MH fixtures while delivering up to 46,000 lumens. Available in 4000K and 5000K at a CRI of 70, the 408W fixture can be mounted on a standard or catwalk yoke at a 45-degree angle. The Arena LED's gasketed design resists dust and moisture, while a remote driver enclosure allows for increased thermal control. • hubbellighting.com



nBeckon in-grade fixture

Beautifully *designed*,
from the ground up.

Introducing Holm. And the new line voltage, in-grade fixture, the nBeckon. Simple elegance on the outside and exclusive features on the inside, like a removable cartridge for easy servicing, ProAim™ adjustability, and an innovative cap design for optimal performance. [Visit holmlighting.com](http://holmlighting.com)


holm

4



4 Q-LED System GameChanger Series, Qualite • Designed for HDTV broadcasting, digital photography, and slow-motion recording, this pre-aimed, pre-wired light-rack luminaire system makes it easier to record fast-moving sports while eliminating the need for supplemental lighting. GameChanger comes in a 500W and a 1,000W model with a lumen output of 58,000 and 115,000, respectively. It is available in two lengths—25" and 49"—both of which use 5600K LEDs with a CRI of 70-plus. Glare control is achieved with a TIR optic to prevent light spill. IP66-rated. • qualite.com

5



5 LED Courtblade (XARL), LSI • The pole-mounted Courtblade comes in 4000K neutral white and 5000K cool white at up to 105 lumens per watt. It is zero-to-10V dimmable, IP65-rated, and can withstand temperatures as low as minus 40 C and as high as 122 C. The fixture head measures 46.3125" long by 25" wide and features a high-performance, multifaceted reflector that provides uniform forward-throw light distribution via a clear-tempered optical-grade flat glass lens, which is sealed in a weathertight aluminum frame. The die-formed aluminum housing comes in seven finishes, including black, bronze, and graphite. • lsi-industries.com

6



6 Ephesus All Field Series, Eaton • The first LED luminaire designed to retrofit into existing outdoor sports lighting infrastructure, according to the manufacturer, this high-powered luminaire is available in two models, a 550W version and 750W version with lumen outputs of 61,000 and 83,000, respectively. IP66-rated and NEMA 4X rated, it is offered with wired and wireless controls with Bluetooth monitoring. It runs on an input voltage of 240V AC to 480V AC. The 45-pound fixture measures 15" tall by 15.4" wide and has a versatile mounting bracket for new or retrofit installations. • eaton.com


ONE SWITCH AWAY FROM ANYTHING.

We're more than ballasts. We're Panasonic.

Universal Lighting Technologies, Inc. is Panasonic's Commercial Lighting division for North America. With over 69 years in business, we offer a comprehensive product line and full lighting control strategy for almost every application imaginable.

For more information,
visit www.unvlt.com or call **1.800.225.5278**.



 **Signcomplex** | We bring innovation and give inspiration

LED linear light is exclusively designed for designer and architect with imagination and personal style. LED linear light adopt premium aluminum profile, different dimension and size, easy to install. 3 types installation method: ceiling mounted type, suspended type and embedded type, and different customized dimensions are also acceptable, which can meet installation requirement of different fields and occasions.

First run

Middle run

Last run

Three colors of lamp body, white, black and silver.
Simple and modern design, screwless at end cap.
Extrusion aluminum lamp body and PC cover.
Smooth and soft lighting effect, no dark dot and shadow at the lighting area.

Various installation:



www.signcomplex.com
marketing@signcomplex.com
phone: +86 755 2760 8650
fax: +86 755 2760 8651



VOKSLYTE™

Merging the art of metal and the science of light



TANGENT Down™ • North Hills Tower II, Raleigh, NC • Design: Cline Bettridge Bernstein

TANGENT™

Tangent™ LED luminaires can be manufactured as:

- | | | |
|---|---|---|
|  ellipses |  curvilinear |  circles |
|  rectangles |  freeform |  arcs |

Why choose from a limited family of standard curvatures or shapes, when VoksLyte™ will manufacture exactly what you want. Available in hanging or recessed shapes to wherever your imagination leads you.

Unconstrain yourself...the possibilities are endless.



TANGENT UpDown™ • Nemours duPont Pediatrics, Deptford, NJ • Design: Array Architects

Thirteenth Annual

LIGHT & ARCHITECTURE DESIGN AWARDS

text by Elizabeth Donoff

2016 was a milestone for the AL Design Awards program. Now in its 13th year, it received a record high number of entries—more than 140 projects from around the world. But even with that large number of submissions, this year also was one of the most selective in terms of winners; the jury only chose nine projects overall. This speaks to the high caliber of lighting design being practiced worldwide (and submitted to the program) and to the rigor of the jury review and discussion, which is as integral a part of the award process as the project entries themselves.

It has been interesting to observe the make-up of the submissions each year as outside forces such as the economy, technological developments, and ever-evolving stylistic approaches influence the project cycle. In 2016, there was an exceptionally large number of entries in hospitality, more so than any other in the program's history. And yet, none of these projects were selected by the jury. But what has remained a constant tenet of the AL Design Awards, and will never change, is the selection of work that represents excellence and advances architectural lighting design as a whole. •



EDWARD M. KENNEDY INSTITUTE FOR THE U.S. SENATE

Entrant: One Lux Studio



Completed in March 2015, the Edward M. Kennedy Institute for the U.S. Senate serves a dual purpose. First, it is a memorial to honor the legacy of the late senator Ted Kennedy, who served 47 years in the United States Senate. Second, it is an institution that is “dedicated to educating the public about the important role of the Senate in our government.”

Located on Columbia Point in Boston, overlooking Boston Harbor and adjacent to the JFK Presidential Library and Museum, the Kennedy Institute was designed by Rafael Viñoly Architects. The building, a box within a box, follows a minimalist style. New York-based One Lux Studio was tasked with realizing the lighting design—a “careful composition of different layers and tones of light on muted finishes.” Adding to the project’s complexity was the exhibition design, which includes a full-scale replica of the U.S. Senate chamber, the centerpiece of the building.

The geometry of the architecture is evident in the lobby. A skylight brings natural light into the space and delineates the perimeter white sloped-ceiling from the gray sloped-ceiling surface that acts as an exaggerated cornice for the stone memorial wall, a wall that also serves as the entry into the senate chamber. Modified LED-lensed wallwashers are recessed in the sloped ceiling in front of the wall and create only the

slightest of reflections on the stone surface.

As the exhibition spaces continue to each side of the memorial wall, the skylight transforms into an LED light cove. Because all of the exhibits are digital and projected onto the surrounding walls, natural light would have obscured the displays. To ensure visibility and uniformity, light levels are held to 20 lux.

In the senate chamber replica, the lighting recreates the look and feel of the actual chamber. There are custom wall sconces at the balcony and a unique glass laylight system at the perimeter of the space which puts light on the balcony wall.

At night the building comes alive in a subtle color temperature shift that creates a visual hierarchy of light. The forecourt walls are lit with 3000K metal halide in-grade uplights to match the color temperature of the lobby light. Bollards with custom-designed glare shields provide light for the front walkway. The main entry path is flanked by 50 bollards, one for each state, that each use 3200K. In the background, the dark gray metal-enclosure of the senate chamber appears to float above the building and is highlighted by 16 400W 4100K metal halide spotlights. The visual progression from ground to sky and the associated color temperatures—3200K to 4100K—provides a visual clarity while creating a unified and contemplative composition. —ELIZABETH DONOFF

Details

Project: Edward M. Kennedy Institute for the U.S. Senate, Boston • **Client:** Edward M. Kennedy Institute for the U.S. Senate, Boston • **Architect:** Rafael Viñoly Architects, New York • **Lighting Designer:** One Lux Studio, New York • **Team Members:** Jack Bailey, Yasamin Shahamiri • **Photographer:** Halkin Mason Photography • **Project Size:** 68,000 square feet • **Project Cost:** \$78 million • **Lighting Costs:** Withheld • **Watts per Square Foot:** 1.13 • **Code Compliance:** ASHRAE 90.1-2007 • **Manufacturers:** Acuity Brands/Winona Lighting, Bega, iGuzzini, Philips Color Kinetics, Targetti

Jury Comments

There is a softness about the lighting

- The exterior lighting is exceptional in the way it handles the shift in color temperature



SAYN IRON WORKS FOUNDRY

Entrant: Licht Kunst Licht



The Sayner Hütte ironworks foundry was constructed in 1830, near the Rhine River, “as an iron cathedral” and became a prototype for the architecture that would later be characteristic of the Industrial Revolution. Today, this former home to furnaces that spewed molten-like metal is a cultural center that hosts events for the local community in the southwest German state of Rhineland-Palatinate, bordered by France, Belgium, and Luxembourg, and whose capital is Mainz.

The new lighting scheme recalls the building’s former use as an ironworks and employs a fully controllable lighting system composed of a fiery-toned color palette of warm- and cool-colored RGB LED luminaires. Individual fixture mounting locations were selected so that the luminaires could be carefully integrated into the heritage-protected structure.

The building’s western façade provides a central view of the space and recalls the “metaphorical path” the iron once took from the back wall where the main furnace was located through the building and out to wagons. The new lighting seeks to emphasize the “lightness and transparency” of the glass and iron structure, which is arranged in a basilica-like layout, with a central core of paired columns that support two main horizontal steel members and the roof’s

metal truss system and red clay tiles.

The lighting is designed to be flexible so that it can accommodate the variety of events that take place within. Fixtures are mounted along the horizontal plane of the main steel members that span the length of the space. This helps to accentuate the building’s length, while also highlighting the verticality of the central columns and their architectural details.

General lighting for the interior is set at a warm-white 3000K while the columns are accented with 4000K white light. The back wall, the only location to receive direct light, is illuminated by a series of floor-recessed RGB linear wallwashers. The central aisle and clay roof tiles are uplight to intensify their red color. The ceilings for the side aisles receive a gentle wash of light from the inter-reflection supplied by the downlighting. This occurs via two types of adjustable spotlights, a 36W fixture outfitted with a honeycomb-louwer and a 17W fixture with a snoot, both to provide precise aiming and reduce glare. Each is painted in a finish to match the cast-iron columns.

The overall contrast between light and dark in the project is a nod to building’s former use as a foundry and the surrounding mountain from which the iron ore was mined. Once again, the Sayner Hütte glows from within. —E.D.

Details

Project: Sayn Iron Works Foundry, Bendorf, Germany • **Client:** City of Bendorf, Germany
• **Architect:** Not Applicable • **Lighting Designer:** Licht Kunst Licht, Bonn, Germany • **Team Members:** Johannes Roloff, Stephanie Jochem, Andreas Schulz • **Photographer:** Thomas Naethe • **Project Size:** 47,899 square feet
• **Project Cost:** Not Available • **Lighting Costs:** \$174,176 • **Watts per Square Foot:** 0.4
• **Code Compliance:** Not Applicable
• **Manufacturer:** iGuzzini

Jury Comments

Not an easy challenge to pull off the metaphor of a fiery-like light • Well done • Deft mix of warm and cool color temperatures





"MANUS X MACHINA: FASHION IN AN
AGE OF TECHNOLOGY," METROPOLITAN
MUSEUM OF ART

Entrant: Dot Dash

The Metropolitan Museum of Art's Costume Institute annual spring exhibition has become one of the museum's most highly anticipated shows. For 2016, the Met debuted "Manus x Machina: Fashion in an Age of Technology," which features 170 garments from the early 1900s to present day and "explores how designers are reconciling the handmade and the machine-made in the creation of haute couture and avant-garde ready-to-wear."

The architecture office of OMA New York and lighting design firm Dot Dash were challenged to meet an eight-week schedule to realize the project. To accomplish this, the designers were teamed with a local manufacturer to prototype, fabricate, and install more than 250 fixtures. After testing a number of market-available halogen and LED luminaires, Dot Dash determined that a custom fixture would be the best solution to provide the optimal color temperature (3000K), output (5W), and adjustability necessary to illuminate the garments. To this last point, the custom accent light "includes a zoom lens for beam spread adjustment and an integral rotary dimmer to set the output based on the throw distance." This met the conservationist's requirement of no more than 5 footcandles, while minimizing spill light and shadowing on the scrims behind each exhibit item. Dot Dash also developed a custom mounting system from Unistrut components instead of using an electrified track, to further reduce project costs.

The exhibit begins as visitors enter the Cocoon, a 52-foot-tall translucent white volume that dramatically transforms the interior of the museum's Lehman Wing into a cathedral-like space (opposite). Here, museum-goers are greeted by a Chanel wedding dress made out of



scuba diving suit material with an embellished 20-foot-long train designed by Karl Lagerfeld in 2014. The Cocoon's domed ceiling is used as a projection surface to reveal the intricate detail of the train. The gown is illuminated by 24 individually controlled DMX fixtures. Along the perimeter of the space are cases outfitted with a custom LED light bar that house eight of French philosopher Diderot's *Encyclopédies* that detail "the processes involved in the creation of fashion."

The exhibition continues downstairs in a series of lower-level galleries. Theatrical-style LED luminaires using the custom Unistrut mounting system cross light the angled walls of each niche to create a shadow-free, gradient of light (above). Throughout the exhibit the lighting provides a neutral white light that complements the garment accent lighting and creates an overall balanced effect to showcase the spectacular garments on view. —E.D.

Details

Project: "Manus x Machina: Fashion in an Age of Technology" at the Metropolitan Museum of Art's Costume Institute • **Client:** The Metropolitan Museum of Art, New York • **Architect:** OMA New York, New York • **Lighting Designer:** Dash Dot, New York • **Team Members:** Christopher Cheap, Isã Sanchez Seviliano, Jelisa Blumberg, Brian Cheap • **Photographer:** Albert Vecerka/Esto • **Project Size:** 20,000 square feet • **Project Cost:** \$6 million • **Lighting Cost:** \$150,000 • **Watts per Square Foot:** 0.45 • **Code Compliance:** Compliance was not required but the lighting power density was well below ASHRAE requirements • **Manufacturers:** 1212 Studio, A&L Lighting, Diode LED, ETC Lighting

Jury Comments

Lighting solution is well executed • Impressive, given the eight-week time frame • Balanced color temperature

85 BROAD STREET

Entrant: One Lux Studio





You could say the design of the basement cafeteria at 85 Broad Street in lower Manhattan has been put through its paces. The newly refurbished cellar space was barely a month old in October 2012 when Hurricane Sandy hit New York City and was completely flooded, destroying all the previous work.

Flash forward and, once the arduous task of clean-up was complete, the owner sought to “reposition” the cafeteria as an amenity space that could compete with area restaurants during the breakfast and lunchtime hours, in an effort to draw tenants back to the building. New York-based architecture firm Mancini Duffy and lighting design firm One Lux Studio were hired to formulate a new design that would make the windowless space feel open and expansive despite having no access to natural light.

The architect and lighting designer collaborated to choose lighting and finish selections in an effort “to make this dining facility a place where people want to come and enjoy a part of their day.” As a result, the contemporary decorative luminaire selection, combined with a neutral palette of wood, reflective metal surfaces, and gray and brown tones, creates an inviting space that does not feel claustrophobic or dimly lit.

One of the particular challenges that the design team faced was the low ceiling height of only 8 foot 6 inches. The designers worked with this impediment by creating open spaces with light-colored floors and a mirrored ceiling that inspire a feeling of lightness and makes the space appear larger than it actually is. This is countered with seating areas accented with wood finishes that provide a more intimate feel.

Other highlights in the main dining room include a color-changing luminous box that was designed as an illumination feature over one of



the communal tables. Normally white, it can be programmed to change color for special events.

In the servery, a curvilinear stainless steel soffit is lit with an indirect LED cove light to highlight the free-form shape. LED downlights with a CRI of 90 and LED striplights concealed in the sneeze guard illuminate the food. Behind the server stations, the supergraphics are lit with LED wallwashers.

One of the most significant features of the design is the serpentine wall of vertical white baffles that runs the length of the dining area. Fitted with a color-changing uplight at its base, the entire wall is set to a slow scene-change so that the colors “magically appear” and recall the feel of natural daylight as it evolves during the day. The palette is limited to calm colors for everyday use, but can be switched to show modes for special occasions.

In this basement, light, materials, and finishes combine to create an inviting environment for building tenants in a space where natural light is hardly missed. —E.D.

Details


Project: 85 Broad Street, New York • **Client:** 85 Broad Street LLC—a subsidiary of MetLife Inc. • **Architect:** Mancini Duffy, New York • **Lighting Designer:** One Lux Studio, New York • **Team Members:** Stephen Margulies, Adriana Amendolara • **Photographer:** Eric Laignel • **Project Size:** 20,400 square feet • **Project Cost:** Not Available • **Lighting Costs:** \$306,000 • **Watts per Square Foot:** 0.8 • **Code Compliance:** New York City Energy Code • **Manufacturers:** Kurt Versen (Hubbell Lighting), Mooi, Newmat, Philips Color Kinetics

Jury Comments

Well balanced • Solved a lot of problems • Respectful of the materials • Nice juxtaposition and choice of color temperatures • Shows a level of simplicity and restraint

KIRIKKALE MERKEZ NUR MOSQUE

Entrant: Zeve Lighting



A new mosque has risen at the center of the burgeoning city of Kırıkkale, the capital of Turkey's Central Anatolia region. Located nearly 50 miles east of Ankara, but still in the western half of the country, the city is home to a population of almost 200,000. The Kırıkkale Merkez Nur Mosque, which was designed by Turkish architect Necip Dinç and completed in 2015, accommodates up to 10,000 worshippers at a time. Its design borrows from 16th century Ottoman influences, such as Mimar Sinan's Selimiye Mosque across the Bosphorus in Edirne, with a central dome that reaches 105 feet high and four 200-foot-tall minarets at its outlying edges. Eight carrier columns radiate from the central dome to distribute the structural load outward. Five additional domes shelter the entrance, and a dome-covered portico extends along an east-west axis to provide shaded access to the mosque, as well as a buffer between city and courtyard.

In order to make this place of worship a focal point for the city, the design team from Istanbul-based Zeve Lighting chose an illumination strategy that emphasizes the depth of the mosque's architectural features, using a variety of color temperatures to establish a visual hierarchy on its surfaces. The interplay between light and shadow assists in that overall effect, with half-domes in shadow and patterned windows lit by narrow-beam uplight. Cool-white light washes the curves of the central dome, while warm-white light adds linear definition to the undersides of the minaret balconies and the crescent at the dome's apex. Cool-white fixtures embedded into niches in the minarets illuminate the rectangular windows.



Zeve Lighting used short-throw, narrow-beam luminaires to accentuate the high-relief patterns of muqarnas, a form of high-relief honeycomb-like vaulting, above the columns. Wide-beam fixtures bathe the undersides of the entry dome with warm-white light, and a warm-white spotlight demarcates the main entrance. Where possible, fixtures were concealed or painted to match or minimize their daytime visibility.

Kırıkkale is a city that will continue its growth around the mosque, with additional demands for resources arising as it expands. Recognizing that sustainable lighting design is an important means of energy reduction within the city, LED luminaires are used exclusively, and programmed lighting scenarios minimize the mosque's overall energy consumption, while still underscoring its prominence at the city's center.

—DEANE MADSEN

Details

Project: Kırıkkale Merkez Nur Mosque, Kırıkkale, Turkey • **Client:** Türkiye Diyanet Foundation, Kırıkkale, Turkey
• **Architect:** Necip Dinç, Istanbul • **Lighting Designer:** Zeve Lighting, Istanbul • **Team Members:** Ayrim Yaser Talu and Kenan Akifoglu, 3D Visualization Artist • **Project Coordinator:** Bekir Gerek, Kırıkkale Provincial Mufti
• **Photographer:** Idris Ekinci • **Project Size:** Total lighting area is approximately 7,040 square meters (75,778 square feet). The building is 2,450 square meters (26,371 square feet). Height of main dome from the ground is 32 meters (105 feet); height of minarets is 61 meters (200 feet), and inner diameter of the dome is 20 meters (66 feet) • **Project Cost:** €11.6 million (\$12.7 million) • **Lighting Costs:** €135,000 (\$148,000) • **Watts per Square Meter:** 2.07, Total Power 14.6kW • **Code Compliance:** Not Applicable • **Manufacturer:** Philips Color Kinetics

Jury Comments

Scale is extraordinary • Chose the right surfaces to light • Color temperature selection is very good
• Contrast is just right • Right amount of balance

THE BROAD

Entrant: Tillotson Design Associates



Los Angeles' downtown cultural hub on Grand Avenue gained a marquee building in 2015 with the opening of The Broad, a contemporary museum designed to house and showcase the 2,000-piece Broad art collection assembled by real estate moguls Eli and Edythe Broad. Designed by New York-based Diller Scofidio + Renfro with the local office of architectural firm Gensler, The Broad was conceived as two main programmatic elements, gallery and archive (or "vault"), draped with a "veil" of perforated fiber-reinforced concrete.

The museum's exoskeleton combines structural performance with daylighting strategies: The self-supporting façade and roof allows for a column-free third-floor gallery space, while the apertures that pierce it aim northward to admit soft daylight through skylights. But with the formal language of the exterior's repetitive façade comes the challenge of uniform lighting—one which Tillotson Design Associates addressed with measures aimed at both accentuating each cell within the façade and treating the façade as a whole surface.

At the street-level corners, the veil lifts to form the entrances, which are uplit with in-grade perimeter halogen fixtures outfitted with shutters to precisely light the canopies. Beneath the veil, the charcoal-colored mass of the vault rises from the ground to cantilever over the lobby and museum shop (this page). Recessed ports with flush-mounted fixtures provide subtle illumination for the ground-floor lobby without disturbing its smooth plastered ceiling. The vault's cave-like underbelly is interrupted by cylindrical escalator shafts, a winding staircase bracketed with linear LED striplights in a perimeter cove, and a luminous-floored glass elevator that emerges into the third-floor gallery.

Inside the vault, fixtures are controlled to



prevent overexposure of sensitive artworks, and align with storage system tracks. An indentation on the Grand Avenue façade presses into a multipurpose room, where wallwashers are interspersed in a general grid of downlights that highlight the architectural impression.

In-grade LED wallwashers and accent fixtures bathe the exterior shell in a gradient of light and provide dramatic contrast with shadow-filled cavities without creating reflections from glazing embedded in the shell. This treatment produces a glowing effect that makes the bright veil appear to hover over the dark vault within. On-site mock-ups ensured that the lighting would not exceed city guidelines. Along the museum's southern edge, a pedestrian plaza planted with olive trees receives after-hours electric light from pole-mounted framing projectors that employ shutters to reduce light spill onto the façade.

With a lighting strategy that emphasizes contrast in the façade's relief patterns, The Broad capitalizes on the interplay between surface and depth in a new arts destination for L.A. —D.M.

Details

Project: The Broad, Los Angeles • **Client:** The Broad, Los Angeles • **Architect:** Diller Scofidio + Renfro, New York with Gensler, Los Angeles • **Lighting Designer:** Tillotson Design Associates, New York • **Team Members:** Suzan Tillotson, Erin Dreyfous, Megan Trimarchi • **Photographer:** John Muggenborg Photography • **Project Size:** 120,000 square feet • **Project and Lighting Costs:** Not Available • **Watts per Square Foot:** 1.19 • **Code Compliance:** Title 24 and ASHRAE 90.1-2007 • **Manufacturers:** B-K Lighting, LED Linear, Lucifer Lighting, Nulux, Spot on Lighting, We-ef

Jury Comments

Deliberate strategy of where to put the light • No hotspots • Lighting doesn't detract from the architectural form





DARYL ROTH THEATRE

Entrant: Cline Bettridge Bernstein Lighting Design

The Daryl Roth Theatre is located across from Union Square Park in New York City. Housed in the former Union Square Savings Bank, originally designed by architect Henry Bacon in 1907, the building, which has landmark status from the New York City Landmarks Preservation Commission (LPC), had never been illuminated.

Initially, the client, Daryl Roth Productions, contacted Cline Bettridge Bernstein Lighting Design (CBBLD) to explore how they might illuminate the classical-style architectural details of the façade, but an early mock-up revealed that it would not achieve the desired effect. The client then decided to illuminate the entire exterior.

CBBLD began by making a historical survey of the ways in which building façades have traditionally been illuminated. With this information, they embarked on a trio of detailed studies. They also had to create the base documentation. The firm's research into the building had unearthed only one drawing of the structure. Using that, plus photos and site measurements, CBBLD constructed the CAD documentation needed for renderings, light

modeling, and client and LPC presentations.

Dimmable LED linear wall grazers mounted to the theater's cornice proved to be the solution. This approach put the light where the designers wanted it, achieving enough contrast across the façade while highlighting the architectural details. It also provided minimal light at the sidewalk without any spill light to the surrounding buildings or park. The problem, though, was there were no market-available fixtures that could do the job. So CBBLD worked with a manufacturing partner to develop the custom fixture, optics, and rigging system.

The wallwasher features two separately adjustable, 2.625"-wide linear fixtures, paired and mounted together. A 34-degree beam illuminates the upper portion of the façade and a tight 9-degree beam illuminates the lower portion of the façade. With uplights on the cornice to light the balustrade and concealed uplights on the window sills to highlight the metal work and lintels, the building welcomes theatergoers and serves as an illuminated reference point for the neighborhood. —E.D.

Details

Project: Daryl Roth Theatre Façade, New York • **Client:** Daryl Roth Productions, New York • **Lighting Designer:** Cline Bettridge Bernstein Lighting Design, New York • **Team Members:** Francesca Bettridge, Michael Hennes, Jeff Hoenig • **Architect:** Rosen Johnson Architects (consultant for Landmarks Preservation Commission approval process) • **Photographer:** David Sundberg/Esto • **Project Size:** 17,482 square feet (building façade) • **Project and Lighting Costs:** Withheld • **Watts per Square Foot:** 0.2 • **Code Compliance:** Meets building façade requirements for ASHRAE 90.1-2007 • **Manufacturer:** Acolyte

Jury Comments

Have a lot of respect for the complexity of the design challenge • Uniform • Bold move to bracket the fixture



KOREAN WAR VETERANS MEMORIAL BRIDGE

Entrant: Domingo Gonzalez Associates

Entering Nashville, Tenn., across the Cumberland River, you traverse the city's Korean War Veterans Memorial Bridge, a 1,660-foot, clear-span, through-arch structure that was completed in 2004 and serves as the city's gateway for more than 17,000 drivers who cross it each day. Originally named the Gateway Bridge, it was rededicated in 2006 to honor the more than 134,000 Tennesseans who served during the Korean War. Less than a decade later, the technological possibilities afforded by advancement in LEDs rendered the bridge's lighting systems obsolete, and the city's Metro Public Works engineering division led an effort to relight the bridge under the guidance of New York-based Domingo Gonzalez Associates (DGA).

The DGA team was presented with a number of challenges: a compressed timeline, minimal budget, engineering requirements for allowable fixture attachment to the structure, and the need to reduce energy consumption by a minimum of almost 50 percent. Modeling tools allowed the team to present renderings with a high degree of fidelity to the bridge stakeholders within the

11-month sprint from concept to completion. Although the budget did not include replacement of existing streetlights, DGA was able to re-aim those in such a way as to reduce light pollution and glare. DGA achieved the fixture attachment requirements by clamping luminaires to the structure in lieu of bolting.

The bridge deck, which is painted a deep scarlet color, glows under continuous 3000K linear LED luminaires that accentuate the structural girders that support the 571-foot-long, 102-foot-wide clear span. Cool-white wide-beam floodlights enliven the 72 cables that suspend the bridge deck. Clamp-mounted linear RGB LED fixtures light the arches, and wireless controls allow programmable scenes to deviate from white to denote holidays and commemorate events.

To meet the maintenance demands and budgetary restrictions of this municipal project, individually addressable luminaires are also individually replaceable. The end result is an energy-efficient lighting solution that produces a rhythmic, glowing gateway to Music City that will welcome visitors for decades to come. —D.M.

Details

Project: Korean War Veterans Memorial Bridge, Nashville, Tenn. • **Client:** Metro Nashville Public Works, Nashville, Tenn. • **Architect:** Not Applicable • **Lighting Designer:** Domingo Gonzalez Associates, New York • **Team Members:** Domingo Gonzalez, Nancy Lok, Phat Quach • **Photographer:** Bob Schatz • **Project Size:** 169,320 square feet • **Project and Lighting Costs:** \$2.3 million (each) • **Watts per Square Foot:** 0.24 • **Code Compliance:** Not Applicable • **Manufacturers:** Acuity Brands/Holophane, Acuity Brands/Winona, North Star Lighting

Jury Comments

A striking image in the landscape
• Shielding of the fixtures is unified • Lighting serves as a continuum that accents the architectural form



MGM RESORTS INTERNATIONAL: THE PARK—SHADE STRUCTURES

Entrant: Arup

The Las Vegas Strip is lined with hotels and casinos that compete for attention with towering roadside signage, and the spectacle often reaches a frenzied level of visual activity. Although one might argue that people don't travel to Las Vegas to get away from it all, the edict to create a series of luminous shade structures, from the client of the first-ever recreational park on the Strip, could be considered a restrained design ask by Las Vegas standards. In turn, the project presented to the lighting designers the unique challenges of achieving brightness without being flashy and engaging visitors with design elements more sophisticated than ostentatious.

New York-based !Melk, the architecture firm responsible for the overall design of the new linear-shaped park located between the New York New York and Monte Carlo resorts, entrusted Arup with the task of lighting the 16 shade structures, which are made of perforated, 1-inch-thick, cold-formed steel arranged in groups of four. They flare outward as they

rise and tower over trees planted within the landscape to offer relief from the desert city's arid conditions. The installation's complex, multi-axial curvature results in structural rigidity, but also non-uniform surfaces—an added challenge for the lighting designers.

The LED fixtures are internally mounted and shielded with custom louvers to keep out of view through the structures' apertures. The luminaires illuminate the edge surfaces of each perforation, which Arup elected to paint white to maximize the lighting effect.

The lighting strategy evolved from the concept of a sun-washed desert bloom. Dynamic lighting controls perform color shifts in a 15-minute animated "sunlight ballet" routine that starts with a golden yellow and reaches a crescendo with a deep magenta cactus blossom. A last-minute client request to make the scheme more Las Vegas-like brought about additional on-site testing, but still with an end result that is more composed than it is carnivalesque. —D.M.

Details

Project: MGM Resorts International: The Park—Shade Structures, Las Vegas • **Client:** Marnell Companies, Las Vegas • **Architect:** !Melk, New York • **Lighting Designer:** Arup, New York • **Team Members:** Leni Schwendinger, Christoph Gisel, Matt Franks, Rohit Manudhane, Salome Galjæard, Simone Collon, Solmaz Esmailzadeh • **Photographer:** Hanns Josten • **Project Size:** 20,400 square feet • **Project Cost:** \$100 million • **Lighting Costs:** \$100,000 • **Watts per Square Foot:** 0.15 • **Code Compliance:** Not Applicable • **Manufacturers:** Lumenpulse, GrandMA

Jury Comments

Color speaks to the motivation of the project • Rational and poetic • Very strong concept • Clarity in the design intent • Appropriate for the context



140 NEW MONTGOMERY, THE MURAL ROOM, AND GRACE CHURCH

Lighting in a historic context creates specific and unique challenges.

How do you light in a historic context? This was one of the main questions that challenged the AL Design Awards jury this year. It's a multidimensional issue, as a lighting designer needs to try to separate the stylistic approaches of a previous era from the technical strategies of today. Of the submissions for 2016, three projects in particular embodied the complexity of this issue (clockwise from above right): the Grace Church renovation in New York City; the Mural Room in the Santa Barbara, Calif., courthouse; and the 140 New Montgomery lobby renovation in San Francisco. Putting aside the particular architectural styles of each—Gothic-inspired, Spanish Colonial, and Art Deco, respectively—there is no doubt that the new lighting employed for each transforms their spaces and brings to life architectural details that were once obscured.

In the case of the renovation of Grace Church, on Broadway near New York University, Cline Bettridge Bernstein Lighting Design's scope of work was limited to the area around the alter

just beyond the transept. The firm was asked to remedy problems with previous additions of downlights and to reduce the glare that obscured the rector's view of the congregation.

For the Santa Barbara Courthouse's Mural Room, Ann Kale Associates had to find a way to provide illumination for a space that had only ever been lit by two chandeliers and available daylight. Further, any new lighting solution had to do so without touching the delicate plaster ceiling and walls.

For the lobby at 140 New Montgomery, HLB Lighting Design took its cues from the Art Deco surrounds to provide an illumination level that would meet contemporary needs and energy requirements but use existing architectural elements to bridge the gap.

So, how do you strike the right balance? These three projects met their tasks and went beyond. They offer a variety of solutions and exemplify the particular difficulties that lighting designers face in these scenarios. —E.D.

Top left: Rien van Rijthoven; Bottom left: Ciro Coelho; Right: Robbie Lawson

2016 DESIGN AWARDS

Jury Members



Debra Gilmore, IALD, IES, ASLA
*Principal, Gilmore Lighting Design,
Bethesda, Md.*

Gilmore brings 33 years of lighting experience to the table when working with clients. Her award-winning designs encompass a broad variety of projects, from conceiving and realizing master plans for corporate campuses to designing commercial interiors. She has been a guest critic for the architecture programs at the University of Maryland, Catholic University of America, and Parsons The New School for Design. Most recently, she has been selected as a workshop head for the 2016 Lights in Alingsås program in Sweden. As an IALD representative, Gilmore also served a two-year term on the 2014-15 Lightfair conference advisory committee.

Theresa Genovese, AIA, LEED AP
*Principal, CetraRuddy Architects,
New York*

An alumna of the Harvard University Graduate School of Design where she earned her Master of Architecture and Urban Design degrees, Genovese is a registered architect in the state of New York. She is a leader of CetraRuddy's Sustainable Design Group and has extensive experience in both ground-up construction and renovations. She has designed a number of award-winning projects, including the Lincoln Square Synagogue in New York City and the Choice School campus in Thiruvalla, India. Her work has been exhibited and published internationally and she regularly serves as a juror and design critic at leading schools of architecture.

Justin T. Brown, IES
*Associate Principal, Lam Partners,
Cambridge, Mass.*

With more than 17 years of experience in architectural lighting design, Brown draws on his background as a machinist and as an industrial designer for his work at Lam Partners, where he serves as a designer, project manager, and mentor. He is also responsible for developing and refining the firm's BIM workflow and standards; implementing new software- and hardware-based solutions for design, analysis, and visualization; and maintaining the office-wide IT infrastructure. His fabrication skills also allow him to specialize in custom fixture design for Lam Partners. His work has earned a number of awards in the lighting and architecture industries.

Maureen Moran, IALD, MIES
*Principal, MCLA,
Washington, D.C.*

Moran, who founded MCLA in 1996, uses her 35-plus years of experience in lighting design to lead a talented team that creates award-winning designs for a wide variety of project types. The firm has worked on projects around the globe ranging in scale and scope from educational facilities to prominent federal and local government properties. MCLA's work has been published in a number of publications and honored with numerous awards from the IALD and the IES, as well as here in the AL Design Awards. A member of the IALD Ambassador program, she shares a mission to advance lighting education within lighting design programs.

The Tower at PNC Plaza includes special perimeter spaces that are designed to promote circulation and collaboration between floors. These double-height “neighborhoods” promise variety and a strong connection to the surrounding environment.

The SolarTrac® System sustains this connection by automatically adjusting louvered blinds and roller shades. The system optimizes the influx of light and heat along the building’s glazed double curtainwall, maximizing views, keeping people comfortable, and, in general, making a neighborhood feel like a neighborhood.

SolarTrac®
Ultimate in WindowManagement®

 **MechoSystems**
Design with light.®

T: +1 (718) 729-2020
F: +1 (718) 729-2941
E: marketing@mechosystems.com
W: mechosystems.com/pnc-hq
 @mechosystems

Best view in the neighborhood. Compliments of SolarTrac®



The Tower at PNC Plaza: Roller shade and louvered blind automation by SolarTrac® from MechoSystems.

BE INSPIRED. BE ICONIC.

Join us for the **WORLD'S LARGEST SUSTAINABLE BUILDING EVENT** as Los Angeles rolls out the red Carpet for Greenbuild this October.

Your iconic role begins this fall with three inspiring days designed with the architect in mind:

- Shorten your search - If it's new and innovative, it's in the Greenbuild Expo Hall
- Design your own Greenbuild experience: Assemble a custom curriculum of sessions, tours, summits and workshops - all specifically created for architects.
- Network with your peers: Thousands of architects all in one place, ready to share ideas and solutions.

REGISTER TODAY!



GREENBUILD
INTERNATIONAL CONFERENCE AND EXPO

ICONIC *Green*

EXPO: OCT. 5-6 CONFERENCE: OCT. 5-7

LOS ANGELES CONVENTION CENTER LOS ANGELES, CA

GREENBUILDEXPO.COM GET SOCIAL: GREENBUILDEXPO.COM/GETSOCIAL     

OWNED AND PRODUCED BY INFORMA EXHIBITIONS, U.S. PRESENTED BY THE U.S. GREEN BUILDING COUNCIL

ARCHITECT

The Journal of the American
Institute of Architects

You Deserve More.



The premiere website for practicing architects—featuring news, project galleries, continuing education, blogs, videos and more is architectmagazine.com.

- > More projects
- > More news
- > More tech
- > More critiques
- > More products
- > More business

Get more today at
architectmagazine.com

hanleywood



The Vode RaceRail™ suspended LED is remarkably adaptive. With rails that rotate infinitely and lock at any angle, and drivers that can be placed 100 feet away and dim to 1%, **it's more than OK.**



ImagiLux
ULTRA-THIN LED PANELS
SEE imagiluxled.com/AL

LIGHT DIRECTORY ARCHITECTURAL LIGHTING RESOURCE
LIGHTDIRECTORY.COM: Products, Catalogs, News, Jobs, Events, iPhone/Android apps



VoksLyte™ Tangent UpDown

Available in any custom diameter, freeform, ellipse, curvilinear, rectilinear, rectangular, racetrack and straight...you get the message.

www.VoksLyte.com

One Company
Distinct Brands
Limitless Possibilities

Marion Performing Arts Center

ELEVATE
Enhancing the quality of light through performance and control.

HUBDELL Lighting www.hubbellighting.com

Aamsco has patented The ALINEA LED as the replacement for the incandescent lamp which has been discontinued. With an average life of 50,000 hours and a 3 year limited warranty, it will ensure many years of use without the frequent re-lamping that is typical of incandescent lamps. The ALINEA LED is available in two color temperatures; 2400K with 90CRI and 3500K with 85CRI. The ALINEA LED fits into all existing ALINEA luminaires, as well as in any fixture using a standard S14s socket, with no modifications needed.

Consider the ALINEA Luminaire when choosing a lighting solution in your next design.

www.aamsco.com

DIALux evo – the next generation of lighting design

DIALux evo offers a completely new approach to specifiers. Room-based light planning is no longer up to date. Now the building in its entirety including the effect from outside is taken into account. And as always: the complete software package is absolutely free of charge. Get your free copy at www.dialux.com.

You Imagine It, We Light It.

Panels, Downlights, Linear, Controls, Accessories and More

laurenillumination.com
855.440.8458

Deck the walls before the holidays.

Murro® LED Wall Wash ships in just two weeks.

Learn more about Murro at amerlux.com/murro.

amerlux
Passion. Power. Performance.

Introducing **univ8** LED T8

UniV8 LED T8 Lamp from Forest Lighting.

The new UniV8 LED T8 Lamp allows customers a choice: utilize the existing instant-start electronic ballast with no rewiring or bypass the ballast with minimal rewiring. Either way, UniV8 LED T8 is the most economical choice for today's retrofit project.

Install with or without a ballast.

FOREST LIGHTING
Sustainable Illumination

Forest Lighting, 2252 Northwest Pkwy SE, Suite D, Marietta, GA 30067
800-994-2143 www.forestlighting.com

lumenline™

Now with lit corners

lumenpulse™

EVERLINE
Don't Let LED Driver Replacement Slow You Down!
DRIVER ON
 QuikCross Web App




Quantum Vue™

 Quantum Vue is an easy-to-use facility management tool you can use on any device. Access building performance and energy data, as well as monitor, control, and optimize a Lutron light and shade control system. Quantum Vue also provides hassle-free scheduling and real-time tuning.
lutron.com/QuantumVue

PATHWAY®
the Lighting Source
Cover ALL your bases with Pathway Lighting!
 We have the most complete line of high lumen products in the industry. Visit us at: www.pathwaylighting.com

 Tel: 800.342.0592
 175-5 Elm St., P.O. Box 591,
 Old Saybrook, CT 06475-0591

JESSE H. NEAL AWARDS
 Est. 1955
Congratulations
 TO HANLEY WOOD'S JESSE H. NEAL AWARD WINNERS

 Hanley Wood is committed to publishing quality content that serves the information needs of construction industry professionals. Our editors have once again been honored by the most prestigious editorial awards program. Join us in congratulating them.
2016 WINNERS
 ARCHITECT
 Best Media Brand
 (Overall Editorial Excellence)
 REMODELING
 Best Subject-Related
 Integrated Package
2016 FINALISTS
 ARCHITECT
 BUILDER
 POOL & SPA NEWS
 MULTIFAMILY EXECUTIVE


SunDialer®
 The automated system is the advanced solar-tracking controller for small-scale and retrofitted projects. It positions shades on windows based on real-time sky conditions, maximizing personal comfort and views to the outside. And it's highly energy efficient, too.

 T: +1 (800) 437-6360
 W: mechosystems.com

selux
I N U L A
High Performance. Rugged. Efficient.
 Selux Inula Bollard and Column is a sophisticated and energy efficient pathway luminaire, perfect for a designer in need of a fixture with no uplight, sky glow or visual glare.
www.selux.us 

Up the creek with an EFO?
NoUVIR builds paddles!

 Replace your defective EFO 1+1
 • Simple one-to-one replacement
 • 10% increase in intensity
 • Use existing fiber and bushing
 • Readily available \$12™ lamps
 • 30-second snap-in relamping
 • Will not burn or discolor fiber (unlike your original EFO)
NoUVIR LIGHTING www.nouvir.com

AXT Series
 Compact Xicato™ LED
 at 720 & 1300 lumens.


www.tsilight.com • (845) 947-3034

PRODUCT GALLERY

Re-think the ceiling



Philips OneSpace luminous ceiling prefab gives light that's like natural daylight, creating a serene and calm space. It transforms any interior with beautiful homogeneous light which feels as good as it looks. The thin compact units blend into your minimalistic design and help improve acoustics. Visit Philips.com/OneSpace.



Create a striking design statement



The next generation Philips Lumec RoadStar LED architectural roadway luminaires create an unrivaled crossroad of artistic style and high-performance functionality so your design can make a powerful impact in any outdoor area. Two luminaire sizes and a wide range of options are available. Visit philips.com/RoadStar.



Unparalleled light output, intelligent color



The newest generation of Philips Color Kinetics ColorReach Compact Powercore LED floodlights provide more punch and light quality for exterior long-throw applications. You can maintain optimum light output and color integrity on tall and prominent iconic structures, signature facades, and bridges. Visit bit.ly/ColorReach.



A·L·E
ARCHITECTURAL LIGHTING


YEARS OF LEADERSHIP IN LIGHTING

SAVE THE DATE!

Thursday, Dec. 8, 2016

ARCHITECTURAL LIGHTING'S
30th Anniversary Celebration
Canoe Studios, New York City

ADVERTISER	PAGE	WEBSITE	PHONE
Aamsco Lighting Inc.	C3	www.aamsco.com	800-221-9092
Amerlux	13	amerlux.com/cynch	
B-K Lighting, Inc.	24	B-KLIGHTING.com	
CDN Lighting	31	www.cdnlighting.cc	
Dial GmbH	4	dialux.com	
Eaton's Cooper Lighting Business	5	TheLightingResource.Eaton.com	
Forest Lighting	25	www.forestlighting.com	800-994-2143
Hubbell Lighting, Inc.	21	www.hubbellighting.com	
Hunter Industries	35	holmlighting.com	
Informa Exhibitions/Greenbuild	58	GREENBUILDEXPO.COM/GETSOCIAL	
Intense Lighting	6	www.intenselight.com	
Inter-Lux	3	inter-lux.com/whitegoods	
Lauren Illumination	7	www.laurenillumination.com	855.440.8458
Ledia Lighting Technology Co., Ltd.	31	www.ledialighting.com	516-504-8000
LF Illumination LLC	C2-1	lfillumination.com	
Lumenpulse	11	Lumenpulse.com	
Lutron	C4	lutron.com/vive	
MechoSystems	57	mechosystems.com/pnc-hq	718-729-2020
Meteor Lighting	29	www.meteor-lighting.com	
No. 8 Lighting	32	8lighting.com	
NoUVIR Research	33	www.nouvir.com	302 628-9933
OSRAM Sylvania	9	www.osram-america.com/controls	
Pathway Lighting Products, Inc.	23	www.pathwaylighting.com	
Performance in Lighting	27	www.pil-usa.com	
Philips Lighting	16, 17	philips.com/Belnspired	
Precision Architectural Lighting	15	www.pal-lighting.com	713.946.4343
Shanxi Guangyu-GYLED	30	www.gyledlighting.com	
Sheenly Lighting Co.	23	www.sheenly.com	
Sichuan Jiuzhou Electric Group Co. Ltd.	33	www.jiuzhou-intl.com	
Signcomplex	37	www.signcomplex.com	
Thailight Semiconductor Lighting Co, Ltd.	18	www.thailight-led.com	
The American Institute of Architects	2	careercenter.aia.org/employers	
Universal Lighting Technologies	37	www.unvlt.com	800-225-5278
Vode Lighting	59	-	
VoksLyte	38	www.VoksLyte.com	



ROGER NARBONI

“Lighting has become a profession that needs a lot of expertise, a lot of specific skills.”

Roger Narboni is a pioneer. Trained in fine art and electrical engineering, he lived in New York from 1978–80 and was fascinated by the 24-hour life of the city. Returning to France in 1981, he began working with light as a way to bring these interests together. He found it easier to work at the scale of public space and began putting these ideas on paper. In 1986–87, he devised the term “concepteur lumière”—lighting designer—and paved the way for the practice of lighting design in France, using the word to convince others to pursue the field, and in particular to create urban spaces and affect the city’s nighttime atmosphere. In 1988, he founded his firm Concepto. Over the course of his more than 30-year career he has worked around the globe on a variety of projects including the master plans for Paris, Jerusalem, São Paolo, and Hangzhou, China. And at the heart of each project is the individual and his or her experience with light.

How do you start your design process?

The process for a city and the process for an urban object are different. You have to work on many scales, from the global to the intimate.

What intrigues you about light?

It’s a very contemporary material and yet we still have so much more to discover about it.

What are some differences you’ve observed in the way people respond to light?

People share an attraction to light but we are lacking a focus on a local culture of light. Globalization is creating uniformity, the “McDonaldization” of lighting. We need to collect, if it is still possible, the lighting cultures that we are losing. It’s why when I work on a project I

always insist on working with a local partner. I want to learn from them, their culture, their story.

What would you like to see happen in lighting that hasn’t happened already?

An educational program that focuses on urban lighting and lighting master planning. There is nothing like that and we need an educational program dedicated to these fields.

What advice would you offer a young lighting designer?

Educate him or herself in many fields, cultures, techniques, and approaches. It’s a long process. You need to be stubborn but open-minded. And never work alone: This is a multidisciplinary field that requires teamwork. •

interview by Elizabeth Donoff
photo by Antoine Doyen

Amazing! Alinea®

NOW AVAILABLE IN

LED

SO UNIQUE IT'S PATENTED




AAMSCO LIGHTING, INC. 100 Lamp Light Circle • Summerville, SC 29483
1-800-221-9092 • Fax 843-278-0001 • www.aamsco.com



Photographed at the world-class 5 Diamond, 5 Star Woodlands Inn

Simple and scalable
lighting control

VIVE™



Introducing a wireless lighting control system that saves energy and improves occupant comfort

- **Deliver central functionality** with time clock, demand response, energy monitoring, and building data via BACnet
- **Design for any space or load type** with a full suite of wireless controls
- **Install faster with wireless** — reduce labor time by up to 70%
- **Scale and grow over time** from a single room to a whole building
- **24/7 customer care** and world-class support allow you to specify with confidence

lutron.com/vive

 **LUTRON.**